

البركان
ميديا

standing
screens



Screen Specs

Standing Screens “65 for

Screen Size	65 Inches
Response time	8 ms
Resolution	1920 x 1080
Contrast ratio	2000:1

Active area	1428 x 804 mm
Viewing angle	89/89/89/89
Brightness	500 nits
Speakers	5W x 2 Built-in
input Power	AC 240-100 V

Touch Screen (optional) for 65" Standing Screens

Scan rate	50 scans/s
Transmittance	More than %98
Response speed (ms)	<16 ms
Min touch (mm)	2,5 mm

Power input	AC 240-100 V (power adaptor)
Durability	about 60 M
Working voltage	DC 5V %5±
Power	<1W (working current <200mA)
Noise	No



Hardware Specs

for 65” Standing Screens

CPU	RK3288, Quad-Core ARM-A17
RAM	DDR2 3 GB
Internal memory	8 GB (NAND FLASH)
Play Mode	Support cycle, timing, slot, and other modes of play
Resolution	Max support 1080*1920

HDMI output	1, support 1080p output
LVDS output	1, can drive the 60/50hz LCD screen
USB2,0 Interface	4 USB HOST, 1 USB OTG/HOST
WIFI	2,4 G

General Information

for 65” Standing Screens

Case Material	Metal case
Case Color	Black & Silver (Customized color upon request)
Storage Temp	°10-C ~ °50C
Working Temp	°0C ~ °40C
Storage/Working Humidity	10% ~ 90%

System Functions

for 65” Standing Screens
Android 9

Support languages	Support Multi-language OSD: English, Chinese, etc
Auto Play	Auto play when power on
Timer	Set time on/off auto
Modification Validity	File & folder editable, rename, copy, delete file, etc
Show	Loop playback/Slide show
Modes	Background music modes, image modes, video modes (optional)

System Functions

for 65” Standing Screens
Android 9

Support video	MPG, MPEG1-, MPEG2-, MPEG4-, AVI, MKV, FLV, TS, VOB
Support picture	JPEG, BMP, GIF
Support SD card	Built-in SD card slot, USB port
Auto update	USB auto update content to SD card
Security lock	Security lock protects media content
Built-in functions	Built-in clock & calendar function

Screen Dimensions(meters) for 65" inch Standing Screens

